

512/C

The Haryana Pond and Waste Water Management Authority

Plot No-9, DHL Square, 3rd Floor, IT Park, Sector-22, Panchkula

E-Mail Id: ms.haryanapondauthority@gmail.com

Website: www.hpwwma.org.in

Letter No:-HPWWMA/2024/ADMN/0023A/326

Dated:- 17/01/2025
~~12/2024~~

NOTICE INVITING QUOTATION

Sealed quotations are invited for Providing & Fixing of 16 nos. UPS Batteries in the Office of HPWWMA at 3rd floor, DHL Square, Sec-22, Panchkula.

Schedule – A .

S. No.	PARTICULARS.	REMARKS
1	Ref. Number	HPA/ADMN/2024/0023A
2	Last date & time of bid submission by bidders.	31 .01.2025(15:00 hrs.)
3	Date & Time of opening of Financial Bids	31 .01.2025 (15:30 hrs.)
4	Bid validity	03 Months.

The rates are to be quoted in prescribed format as “ANNEXURE-I”.

Bidders can submit their bids through purchase committee of HPA post or put in tender box available in the office of HPWWMA.

Product Specification:-

1.	Rated Capacity	18Ah
2.	Warranty (manufacturing)	12 Months
3.	Useful For	APC Backups Model
4.	Battery Voltage	12V
5.	Relative Humidity	Operating Relative Humidity: 0-95% & Storage Related Humidity: 0-95%
6.	Dimensions	181X78X166mm / 6.5 Kg
7.	Material	Container & Lid;ABS
8.	Battery Type	Lead Acid battery with suspended electrolyte :Leak Proof
9.	Weight (approx.)	6.5 Kg
10.	Suitable For	UPS System, Telecommunication Equipment, Fire alarm Security System, Office automation Equipment, EPABX & Electronic.

Sharma

17/1

11.	Colour	Grey
12.	Battery Capacity	12 Ah
13.	Operating Environment	0-40 deg C
14.	Storage Temperature	-5 to 45 deg C
15.	Output Frequency	47-63 Hz

Terms and Conditions.


1. No advance payment will be made.
2. The HPWWMA will not accept any duplicate/ substandard items. If the supplier is not able to supply the items as per make/ sample action may be taken against the firm i.e. blacklisting.
3. If the supplied items are found defective and not up to the mark, the same should be replaced by the agency within a period of 2 days.
4. The firm should be registered with the Government for the purpose of Tax-GST etc. and the certified copies should be attached with the bid documents.
5. Rates should be quoted in figures & words as well in the prescribed format as ANNEXURE-I. The rates should be inclusive of all taxes & nothing extra will be paid.
6. The competent authority in the HPWWMA reserves the right to amend any of the terms and conditions contained in the Quotation Documents.
7. Duly constituted committee shall open and evaluate the quotations and accordingly accept the quotation on the basis of lowest quote.
8. In case, the supplier is found to have breached any condition(s) of the purchase order at any stage or services of the supplier found not be to the satisfaction of the HPWWMA, the purchase order may be terminated. The decision of the HPWWMA, in this regard, shall be final and binding.
9. The quotationer has to give a declaration in the attached form as (ANNEXURE-III) that he has not been black listed/ debarred by any the Government or PSUs.
10. Any dispute, subject to Panchkula Jurisdiction only.





Vender Eligibility criteria: -

1. Bidder should possess valid GST Number. Attested copy of the same must be submitted with the Bid.
2. The bid shall be valid for two months.
3. Information furnished by the Firm/Supplier/Bidder as per **ANNEXURE-II** should be self-attested.
4. The Bidder should not have been blacklisted by any of the Department/ Ministry/ Organization. A duly signed declaration to this effect must be submitted by the agency.
5. The invitation of quotation is open to all manufactures, their authorized suppliers and general order suppliers.
6. Haryana Pond and Waste Water Management Authority shall reject the bid, if it detects that bidder recommended for award has ever found engaged in corrupt or fraudulent practice while competing for the contract.


12/11/15
Executive Engineer
HPWWMA, Panchkula.

ANNEXURE-I

Name of Work:- Providing & Fixing of 16 nos. UPS Batteries in the Office of HPWWMA at 3rd floor, DHL Square, Sec-22, Panchkula.

S/N	Description Items	Unit	Qty.	Rate (In Rs. Incl. All Taxes)	Amount (In Rs. Incl. All Taxes)
1	Sealed Maintenance Fee (SMF) Lead Acid Battery 18AH/12V Conforming to product specification give in NIQ. <ul style="list-style-type: none">• AMARON Brand	Each	16		
2	Purchase back discharged batteries as above already installed in UPS.	Each	16		
Net Amount					

Terms & Conditions:-

1. Final payment will be made after successful completion and installation of the cage.
2. Installation should be completed within 15 days of issue of this order positively.
3. The work should be executed as per drawings and direction of HPA.
4. The rate should be inclusive of all taxes of any type i/c GST.

Date:-

.....
Signature of Authorized Person

Name.....

Address.....



ANNEXURE-II

Information to be Furnished by the Firm/Supplier:-

Sr. No	Particulars	To be filled by the Suppliers
1.	Name of Firm/Agency	
	Address	
	Name of Proprietor	
	Telephone no.	
	Mobile No.	
	Email. Address	
	Name of Business partner, if any	
2.	PAN Number (Copies to enclosed)	
3.	CST/VAT Registration Certificates (Copies to enclosed along with TIN numbers)	
4.	Service TAX Registration no. copies to enclosed	
5.	Whether terms and conditions are acceptable or not?	
6.	Whether the firms is blacklisted by any Government/Department or any criminal case is registered against the firm or its own/partners anywhere in India (if No, an undertaking to this effect may be attached. (In Annexure-III)	

Date:-
Person

.....
Signature of Authorized

Name.....

Address.....


12/11/25



ANNEXURE-III

Declaration

To

Member Secretary,
Haryana Pond & Waste Water Management Authority.
Plot No.-9, DHL Square, 3rd Floor, IT Park, Sector-22, Panchkula-134109.

R/Sir,

I/We.....
.....hereby confirm that our firm has not been banned o blacklisted by any government organization/ Financial Institution/ Court/ Public Sector Unit/ Central Government and no Police /Vigilance enquiry/Criminal case is pending against us.

Date:-
Person

.....
Signature of Authorized

Name.....

Address.....

Mob. No.....

Jshwanda

Bsua
12/1/25